bott vario

In-vehicle equipment
for your IVECO

DAILY

Two brands – **One system**

bott vario | **At home in your IVECO**

bott configures the equipment to suit the respective model and your own wishes.

You have decided to have a IVECO. This choice represents the perfect basis for the installation of bott vario in-vehicle equipment. The components of bott vario are exactly tailored to fit your vehicle´s dimensions and its fixing points as well as other characteristics of IVECO vehicles. This results in the best possible use of storage space as well as safe installation and clean removal. This is true both for standard modules and for a custom installation designed by bott exactly to suit your needs. Thus the combination of your IVECO and bott vario in-vehicle equipment represents an interconnected system.

bott vario | The in-vehicle equipment –

As individual as your trade



Proven safety.

bott engineers regularly conduct crash tests and demonstrate how safe the bott vario in-vehicle equipment is for the vehicle passengers Independent experts execute tests with fully loaded vehicles in such a way that loads on the components are distributed in the same manner as during a road accident. Such crash tests simulate an impact of a vehicle with an obstacle at a speed of 50 km/h - pursuant to ECE directive R44. In particular, testers consider the following questions:

- Does bott vario absorb the dynamic energy?
- Does the cargo stay where it belongs?
- Are the extreme forces successfully dissipated?

bott vario in-vehicle equipment always meets the highest requirements of the tests. Results of the tests demonstrate that the driver and the front passenger can rely on bott vario in case of emergency.

The crash test video can be found there:

3 Year warranty*

*bott grants the ultimate purchaser (end user), in addition to the statutory warranty, a 3-year product warranty in accordance with bott warranty conditions. bott guarantees for a period of 3 years from date of delivery that the supplied products are free from defects in terms of materials and workmanship.
Warranty does not cover electronic components and modules.

bott vario | **Conditioned for your success**

Unforeseen issues can be an everyday occurrence in service and installation work. The highest levels of creativity and professionalism are needed to get the job done. Being prepared for every eventuality means having the right tools, the right fixings, and the necessary spare parts at your fingertips. In short – you need the right in-vehicle equipment solution.

The primary goal of in-vehicle equipment is to optimise the organisation of all available storage space. Essential tools and equipment need to be safely transported in the smallest possible space. When on site with a client, quick and easy access to clearly laid out tools is essential for your success.

product design award gold 2011

reddot design award
best of the best 2011

- **Safe**
  bott vario is proven in crash tests in accordance with ECE R44: The steel end fames absorb the extreme forces in case of a collision.
- **Light weight**
  Individual components are designed to be consistently strong and light weight. This is achieved through the use of a mix of different construction materials: steel, aluminium and high-quality plastics. Lower net weight means higher payloads for you.
- **High quality finish**
  The anodised aluminium surfaces and the finely structured finish powder coated steel parts are scratch resistant and robust. Furthermore, the look and feel of the product will satisfy your quality requirements.
- **Efficient**
  Bott vario in-vehicle equipment uses the storage space in the best way possible, creating order and facilitating a quick access to your equipment.
- **Convincing**
  Their appearance with well sorted in-vehicle equipment leaves a lasting positive impression on customers and provides a convincing overall image for your performance.
- **Design**
  The clean and high value design of bott vario in-vehicle equipment has received multiple rewards.

bott vario **Loadspace organisation**

bott vario | **Systematic organisation**

The bott vario in-vehicle modules for your IVECO commercial vehicle offer versatile components for division of the storage space. These can be perfectly combined to suit any individual trade requirements. The developers of bott vario in-vehicle equipment have paid special attention to safety, functionality and optimum utilisation of the available space.

Long-item top tray
Stowing pipes or similar long items in a space-saving and safe manner

bottbox shelves
Intelligent solution for storing and transporting of small parts

Shelves
High loading capacity achieved through clever use of rolled ribs and structural folds

Drawers
Easy to operate handle mechanism, even when wearing gloves

Rotated cabinet
Easy access to content behind side doors



Clamping unit
Convenient, secure clamping of various case sizes

Lashing rails
System components with integrated lashing points

varioSort and varioSafe
Light and robust service cases and carry boxes. practically integrated in the in-vehicle equipment

End frames
These are the structural elements of bott vario in-vehicle equipment.

Lashing rails
For flexible and secured lashing of the load

Floor storage compartment with aluminium drop front
For easily accessible storage space

Perfect loadspace organisation

The planning

The result

Analysis

Your tools and equipment are ready for loading. With the help and guidance of a bott planning specialist, it is now up to you to decide where everything will be permanently stored.

Conception and planning

Your bott service partner performs a detailed analysis of your requirements and configures the in-vehicle equipment you need to create the optimal layout for your van.

Certified assembly

Only trained employees carry out the installation in your vehicle. Because safety is our top priority.

Handover

An initial briefing with a detailed look through the maintenance and operating manual is commonplace at bott.

Support

Your certified bott service partner is just around the corner.

They are there around the clock to answer your questions about in-vehicle equipment, be it before, during or after installation.

bott vario | Floors & Linings - Cargo space protection for small and medium sized vans

bott floors and linings protect the cargo space of your commercial vehicle against wear and tear in everyday use. In addition to floors and side linings, roof linings are also available if required. The robust and heavy-duty material maintains the value of your vehicle over a long term. Anti-slip surfaces and edge protection at all door openings ensure additional safety.

Lashing rails installed in the floor offer many possibilities to secure your load. The manufacturers' lashing points always remain accessible. If needed, bott will integrate additional lashing rails, lights and storage space vents.

bott vario floor

- Light weight and moisture-resistant 12 mm birch multiplex floor
- Top side: robust and slip-resistant synthetic resin film coating with bott's own unique pattern.
- Underside: synthetic resin film coating with smooth finish
- Edges: profiled, moisture-resistant grey finish with aluminium edge protection at door openings.
- Pollutant emission class E1 in accordance with EN 717-2
- Anti-slip R12, Taber value > 500
- All fixings included
- Much simplified installation now possible using hold-down cups

1A Transverse lashing rails

1B Longitudinal lashing rails

Your IVECO	Model year from	Wheelbase mm	Floor without edge protection	Floor with edge protection	Floor with transverse lashing rails 1A	Number of transverse lashing rails	Floor with longitudinal lashing rails 1B
Daily L1	2014	3000	113 20 161	113 10 161	113 12 161	2	113 21 161
Daily L1 Dual tyres	2014	3000	113 20 176	113 10 176	113 12 176	2	113 21 176
Daily L2H1	2014	3520	113 20 162	113 10 162	113 12 388	3	113 21 162
Daily L2H1 Dual tyres	2014	3520	113 20 178	113 10 178	113 12 177	3	113 21 178
Daily L2H2	2014	3520	113 20 162	113 10 162	113 12 162	4	113 21 162
Daily L2H2 Dual tyres	2014	3520	113 20 178	113 10 178	113 12 178	4	113 21 178
Daily L3	2014	3520*	113 20 163	113 10 163	113 12 163	4	113 21 163
Daily L3 Dual tyres	2014	3520*	113 20 179	113 10 179	113 12 179	4	113 21 179
Daily L4	2014	4100	113 20 164	113 10 164	113 12 164	5	113 21 164
Daily L4 Dual tyres	2014	4100	113 20 180	113 10 180	113 12 180	5	113 21 180
Daily L5	2014	4100*	113 20 165	113 10 165	113 12 165	6	113 21 165
Daily L5 Dual tyres	2014	4100*	113 20 181	113 10 181	113 12 181	6	113 21 181

* with overhang

Side lining panels

- Pre-profiled side lining panels made from recyclable polypropylene
- Twin-wall panels, 4 mm thick, with structured surface on one side
- Colour: light grey (RAL 7035)
- UV-stable, low weight, corrosion resistant, will not decompose,chemical resistant
- Extremely light and easy to clean
- Fixings included

vario protect-light

For your IVECO	Model year from	Wheel-base mm	[2] Basic set Side lining panels	[2+3+4] Complete set Rear doors + Right-hand sliding door	[2+3+4] Complete set Tailgate + Right-hand sliding door
Daily L1-H1	2014	3000	122 25 230.95	122 25 231.95	122 25 238.95
Daily L2-H1	2014	3520	122 25 232.95	122 25 233.95	122 25 239.95
Daily L2-H2	2014	3520	122 25 234.95	122 25 235.95	122 25 240.95
Daily L3-H2-H3	2014	3520*	122 25 236.95	122 25 237.95	122 25 241.95
Daily L4-H2-H3	2014	4100	122 25 226.95	122 25 227.95	122 25 242.95
Daily L5-H2-H3	2014	4100*	122 25 228.95	122 25 229.95	122 25 243.95

* with overhang

- Pre-profiled side lining panels made of 1mm thick aluminium
- Light and extremely resilient
- perfo perforated panel for attaching perfo hooks and holders
- Fixings included

vario protect-plus

Daily L1-H1	2014	3000	122 25 230.98	122 25 231.98	122 25 238.98
Daily L2-H1	2014	3520	122 25 232.98	122 25 233.98	122 25 239.98
Daily L2-H2	2014	3520	122 25 234.98	122 25 235.98	122 25 240.98
Daily L3-H2-H3	2014	3520*	122 25 236.98	122 25 237.98	122 25 241.98
Daily L4-H2-H3	2014	4100	122 25 226.98	122 25 227.98	122 25 242.98
Daily L5-H2-H3	2014	4100*	122 25 228.98	122 25 229.98	122 25 243.98

* with overhang

Clamping bars plus

- Used to secure large items in transit
- Telescopic bar can be shortened or extended quickly without tools
- Simple operation by means of Click Lock when inserting.
- Suitable for horizontal and vertical applications
- Circumferential rubber coating for increased slip-resistance as well as additional protection for the load.

Ø x H mm	Order Ref.
47 x 1400 - 2050	850 01 121
47 x 1700 - 2500	850 01 122

bott vario | **Modules for your IVECO Daily L1** Wheelbase 3000 mm

Driver's side



Passenger's side



bott vario **Silver Package** 5091

Module package	Installation kit
Order Ref. 600 99 098.19M	Order Ref. 635 10 100.51V

Installation on the left W 2275 x D 340 x H 1000 mm

- 4 aluminium shelves with dividers and anti-slip mats
- 2 bottBox shelves with 9 bottBoxes
- 1 floor storage compartment with integrated load restraint
- 1 floor storage compartment with cam buckle strap

Installation on the right W 1275 x D 440 x H 1000 mm

- 2 aluminium shelves with dividers and anti-slip mats
- 1 bottBox shelf with 9 bottBoxes
- 1 floor storage compartment with integrated load restraint

Accessories

- 1 document holder, 1 lashing rail with protection profile, 1 lashing strap with fitting and cam-buckle, bott vario edge protection profile

Total weight: 60.6 kg

bott vario **Platinum Package** 5091

Module package Order Ref. 600 99 099.19M	Installation kit Order Ref. 635 10 100.51V

Installation on the left W 2275 x D 340 x H 1100 mm

- 4 aluminium shelves with dividers and anti-slip mats
- 2 bottBox shelves with 9 bottBoxes
- 1 drop-front shelf with aluminium drop front and anti-slip mat
- 1 floor storage compartment with integrated load restraint and aluminium drop front
- 1 load restraint kit with lashing strap

Installation on the right W 1275 x D 440 x H 1000 mm

- 1 aluminium shelf with dividers and anti-slip mat
- 3 drawers with anti-slip mats
- 1 varioSort with 20 boxes, 1 varioSafe L
- 1 varioSlide with set of guiding rails
- 1 bearer with integrated load restraint
- 1 floor storage compartment with integrated load restraint and aluminium drop front

Accessories

- 1 document holder, 1 lashing rail with protection profile, 1 lashing strap with fitting and cam-buckle, bott vario edge protection profile

Total weight: 93.5 kg

bott vario **Green Package** 5091

Module package Order Ref. 600 99 100.19M	Installation kit Order Ref. 635 10 100.51V



Installation on the left W 2275 x D 340 x H 1200 mm

- 1 aluminium long-item tray with anti-slip mat
- 3 bottBox shelves with 21 bottBoxes
- 1 aluminium shelf with divider and anti-slip mat
- 2 drop-front shelves with aluminium drop fronts and anti-slip mats
- 1 floor storage compartment with integrated load restraint and aluminium drop front
- 1 case clamping unit
- 2 vertical lashing rails

Installation on the right W 1275 x D 440 x H 1000 mm

- 1 aluminium shelf with dividers and anti-slip mat
- 3 heavy duty drawers with anti-slip mats
- 1 drawer with anti-slip mat
- 2 varioSort with 20 boxes, 1 varioSafe L
- 1 bearer with integrated load restraint
- 1 floor storage compartment with integrated load restraint and aluminium drop front

Accessories

- 1 document holder, 1 lashing rail with protection profile, 1 lashing strap with fitting and cam-buckle, bott vario edge protection profile

Total weight: 114.2 kg

Accessories included in the package

All end frames are fitted with edge protection

1 lashing strap with fitting and cam-buckle

1 document holder



1 lashing rail with protection profile

bott vario | **Modules for your IVECO Daily L2** Wheelbase 3520 mm

Driver's side



Passenger's side



bott vario **Silver Package** 6111

Module package Order Ref. 600 99 118.19M	Installation kit Order Ref. 635 10 100.51V



Installation on the left W 2775 x D 440 x H 1100 mm

- 4 aluminium shelves with dividers and anti-slip mats
- 2 bottBox shelves with 10 bottBoxes
- 1 floor storage compartment with integrated load restraint
- 1 floor storage compartment with cam buckle strap

Installation on the right W 1525 x D 440 x H 1100 mm

- 2 aluminium shelves with dividers and anti-slip mats
- 1 bottBox shelf with 10 bottBoxes
- 1 floor storage compartment with integrated load restraint

Accessories

- 1 document holder, 1 lashing rail with protection profile, 1 lashing strap with fitting and cam-buckle, bott vario edge protection profile

Total weight: 83.7 kg

bott vario **Platinum Package** 6111

Module package Order Ref. 600 99 119.19M	Installation kit Order Ref. 635 10 100.51V

Installation on the left W 2775 x D 440 x H 1400 mm

- 5 aluminium shelves with dividers and anti-slip mats
- 2 bottBox shelves with 10 bottBoxes
- 1 stringer set with 2 varioSlide and storage tray
- 1 drop-front shelf with aluminium drop front and anti-slip mat
- 1 floor storage compartment with integrated load restraint and aluminium drop front
- 1 load restraint kit with lashing strap

Installation on the right W 1525 x D 440 x H 1100 mm

- 1 aluminium shelf with dividers and anti-slip mat
- 3 drawers with anti-slip mats
- 1 varioSort with 20 boxes
- 1 varioSafe L, 1 varioSlide with guiding rails set
- 1 bearer with integrated load restraint
- 1 floor storage compartment with integrated load restraint and aluminium drop front

Accessories

- 1 document holder, 1 lashing rail with protection profile,
  1 lashing strap with fitting and cam-buckle, bott vario edge protection profile

Total weight: 134.5 kg

bott vario **Green Package** 6112

Module package Order Ref. 600 99 114.19M	Installation kit Order Ref. 635 10 100.51V



Installation on the left W 2775 x D 440 x H 1300 mm

- 1 aluminium long-item tray with anti-slip mat
- 3 bottBox shelves with 17 bottBoxes
- 2 aluminium shelves with dividers and anti-slip mats
- 1 stringer set with 2 varioSlide and storage tray
- 1 floor storage compartment with integrated load restraint and aluminium drop front
- 1 case clamping unit
- 2 vertical lashing rails

Installation on the right W 1525 x D 440 x H 1100 mm

- 1 aluminium shelf with dividers and anti-slip mat
- 3 heavy duty drawers with anti-slip mats
- 3 varioSort, 1 varioSafe L
- 1 bearer with integrated load restraint
- 1 floor storage compartment with integrated load restraint and aluminium drop front

Accessories

- 1 document holder, 1 lashing rail with protection profile,
  1 lashing strap with fitting and cam-buckle, bott vario edge protection profile

Total weight: 154.8 kg

Accessories included in the package

All end frames are fitted with edge protection

1 lashing strap with fitting and cam-buckle

1 document holder



1 lashing rail with protection profile

Accessories to suit every requirement

bott vario offers many more accessories for vehicles and van racking than those shown in this catalogue.

Vehicle decals, rear steps, luggage racks, ramps, flashing beacons and telecommunications components are only a few examples of the items offered by bott service partners to complement your in-vehicle equipment.

Folding worktop



- For working with materials outside of the vehicle
- Sheet steel, zinc-plated
- Cross-laminated beech multiplex worktop, with an oiled finish

Version	Dimensions W x D x H mm	Order Ref.
with 125 mm vice and turntable	200 x 300 x 900	612 20 006.51V
With 125 mm vice	200 x 300 x 900	612 20 007.51V

Gas cylinder restraint system

- Provides a safe means of transporting up to 2 gas cylinders
- Version 1: with 1 fixing rail and 1 ratchet strap
- Version 2: with 2 fixing rails and 2 ratchet straps

For system depth mm	Vers.	Rail length mm	Order Ref.
340	1	270	126 15 007.98V
340	2	270	126 15 008.98V
440	1	370	126 15 009.98V
440	2	370	126 15 010.98V

Vents

- Provides roof or side ventilation when transporting compressed gas cylinders

- Provides floor ventilation when transporting compressed gas cylinders

Illust.	Version	Dimensions W x D x H mm	Order Ref.
A	Roof / side vent	94 x 140 x 40	635 02 054.19V
B	Floor vent	Ø 110 / H 100	635 02 055.19V

Lashing straps

- with fitting and ratchet



- with fitting and cam-buckle

	Strap length mm	Fixed end mm	Load capacity daN	Order Ref.
A	1000	130	500	626 26 005.19V
	2500	130	500	626 26 006.19V
	3500	500	500	626 26 007.19V

	Strap length mm	Fixed end mm	Load capacity daN	Order Ref.
B	1000	130	150	626 26 009.19V
	2500	130	150	626 26 010.19V
	3500	500	150	626 26 011.19V

Lashing strap with automatic winder



- For quick and easy load restraint
- Black webbing
- Strap width 25 mm
- Strap length 2000 mm
- Load capacity up to 125 daN

Version	Fixed end mm	Order Ref.
Hook - Hook	200	626 26 062.90
Fitting - Fitting	200	626 26 065.90
Fitting - to be bolted	–	626 26 061.90

Clamping bar holder set

- Secure and compact storage for 2 or 4 clamping bars
- Suitable for both versions of the clamping bars
- Secures to side or roof mounted lashing rails
- Powder-coated sheet steel
  Colour: anthracite grey (RAL 7016)

Version	Dimensions W x D x H mm	Order Ref.
for 2 clamping bars	85 x 75 x 120	630 03 086.19
for 4 clamping bars	85 x 75 x 270	630 03 087.19

Lashing rails with protective profile



- Contact surface fitted with anti-abrasion strips, ideal for securing goods with sensitive edges
- For straps with fittings
- Strap attachment points every 25 mm
- Load capacity = 500 daN
- Includes end caps

Rail length mm	Width mm	Order Ref.
1000	46	679 01 014.98V
1500		679 01 015.98V
2000		679 01 016.98V
3000		679 01 017.98V
Per linear metre*		679 01 018.98V

*Available in increments of 25mm / max length 3000 mm

Load-securing net



- Close-meshed knitted load-securing net
- Cam buckle strap around circumference

Dimensions W x D mm	Version	Order Ref.
1250 x 730	4x hook	626 27 006.19V
1250 x 730	4x fitting	626 27 007.19V
2290 x 1500	4x hook	626 27 008.19V
2290 x 1500	4x fitting	626 27 009.19V

Load restraint blanket



- For securing the load in the vehicle and on the flatbed
- Anti-theft protection thanks to the opaque fabric
- Tested according to VDI 2700
- Load capacity up to 200 daN

Cam buckle straps with:	Dim. W x D mm	Order Ref.
4x with flat hook ends	1250 x 730	626 27 010.19V
4x with fitting	1250 x 730	626 27 011.19V
6x with flat hook ends	2290 x 1500	626 27 012.19V
6x with fitting	2290 x 1500	626 27 013.19V

varioSort load restraint case

- For vehicles with bott in-vehicle equipment fitted with integral lashing points/rails

Set consisting of: 2 x lashing strap 3.5 mm with fitting and cam-buckle
2 x lashing strap 3.5 mm with fitting and ratchet
6x load restraining pads, 6x corner protection pads
incl. important information on load restraint

Dimensions W x D x H mm	Order Ref.
454 x 318 x 88	625 11 146.19V

varioSort with die-cut foam insert

- 12 mm base mat and 63/69 mm thick insert with square perforations
- Foam: anthracite grey (RAL 7016)
- Die-cut squares for individual removal
- Load capacity: 15 kg

Dimensions W x D x H mm	Internal dimensions W x D x H mm	Order Ref.
525 x 340 x 90	400 x 275 x 75	625 11 126.19V

varioSort with nozzle insert

- With 90 storage holes in a foam inlay
- Incl. 3 small parts storage boxes
- Load capacity: 15 kg

Dimensions W x D x H mm	Internal dimensions W x D x H mm	Order Ref.
525 x 340 x 90	400 x 275 x 75	625 11 125.19V

varioSort with 11 boxes

- System depth 340 mm
- 11 small parts storage boxes
- Load capacity: 15 kg



Dimensions W x D x H mm	Internal dimensions W x D x H mm	Order Ref.
525 x 340 x 90	400 x 275 x 75	625 11 094.19V

varioSort with 20 boxes

- System depth 340 mm
- 20 small parts storage boxes
- Load capacity: 15 kg



Dimensions W x D x H mm	Internal dimensions W x D x H mm	Order Ref.
525 x 340 x 90	400 x 275 x 75	625 11 095.19V

varioSort with 28 boxes

- System depth 340 mm
- 28 small parts storage boxes
- Load capacity: 15 kg



Dimensions W x D x H mm	Internal dimensions W x D x H mm	Order Ref.
525 x 340 x 90	400 x 275 x 75	625 11 096.19V

varioSort storage pocket



- Anodised aluminium holder

Application example:
varioSort service case not included with delivery

Dimensions W x D x H mm	Order Ref.
95 x 335 x 315	625 11 128.97V

varioSafe - System depth 340 mm



- Carry box with lockable lid
- Contents are automatically secured and access blocked when case is picked up and carried
- Load capacity: 15 kg

Size	Dimensions W x D x H mm	Internal dimensions W x D x H mm	Order Ref.
M	525 x 340 x 115	400 x 275 x 78	625 11 097.19V
L	525 x 340 x 190	400 x 275 x 153	625 11 029.19V
X	525 x 340 x 390	400 x 275 x 365	625 11 098.19V

varioSafe - System depth 440 mm

Size	Dimensions W x D x H mm	Internal dimensions W x D x H mm	Order Ref.
L	525 x 440 x 190	400 x 375 x 153	625 11 030.19V

varioSafe L with 18 boxes

- System depth 340 mm
- 18 boxes in 2 levels
- Load capacity: 15 kg



Dimensions W x D x H mm	Internal dimensions W x D x H mm	Order Ref.
525 x 340 x 190	400 x 275 x 153	625 11 033.19V

One standard for workshop, in-vehicle and assembly applications | Wide range of divider options...

varioSafe L with 27 boxes

- System depth 440 mm
- 27 boxes in 2 levels
- Load capacity: 15 kg





Dimensions W x D x H mm	Internal dimensions W x D x H mm	Order Ref.
525 x 440 x 190	400 x 375 x 153	625 11 034.19V

varioSafe M with nozzle insert

- System depth 340 mm
- With 90 storage holes in a foam inlay
- Incl. 3 small parts storage boxes
- Load capacity: 15 kg

Dimensions W x D x H mm	Internal dimensions W x D x H mm	Order Ref.
525 x 340 x 115	400 x 275 x 78	625 11 118.19V

varioSafe X with aerosol can or cartridge storage insert

- System depth 340 mm
- Image A
  For 13 aerosol cans with max. Ø 73 mm
- Image B
  For 24 cartridges with max. Ø 53 mm

Image	Dimensions W x D x H mm	Internal dimensions W x D x H mm	Order Ref.
A	525 x 340 x 390	400 x 275 x 365	625 11 131.19V
B	525 x 340 x 390	400 x 275 x 365	625 11 132.19V

bott vario CarOffice

- Ensures order in the passenger seat
- With two holders for brochures, catalogues and other documents
- A storage box for small items that can be quickly removed

- Simple and secure mounting on the passenger seat with the seat belt and a variably adjustable headrest adapter

Dimensions W x D x H mm	Order Ref.
340 x 520 x 690	630 03 098.19V

Ladder holder, 3-part

- 3-part, for single and double ladders
- For fastening to the roof rails
- Simple, ergonomic fastening of ladders via clamping mechanism
- Colour: anthracite grey (RAL 7016)

Suitable for use with ladder spars from - to mm	Order Ref.
70 - 100	630 03 083.19V
130 - 160	630 03 084.19V

Document holder

- A light plastic pocket for documents, brochures and small document folders
- DIN A4 landscape format
- Incl. label clip

Dimensions W x D x H mm	Min. system depth mm	Order Ref.
340 x 100 x 213	340	140 14 028.19

Jerrycan compartment

- Suitable for 10L/20L steel fuel jerrycans
- For 10L/20L jerrycan: made of powder-coated sheet steel RAL 7016
- Incl. cam buckle strap with self-locking buckle for securing jerrycans while driving

Version	Dimensions W x D x H mm	Order Ref.
for 1x 10L/20L jerrycans	173 x 342 x 243	630 03 008.19V
for 3x 10L/20L canister	518 x 342 x 243	630 03 009.19V

Storage pocket

- Anodised aluminium

Dimensions W x D x H mm	Starting from system depth mm	Use	Order Ref.
215 x 85 x 275	340	DIN A4 portrait	625 30 001.97V
175 x 93 x 230	340	DIN first-aid kits	625 30 003.97V
114 x 114 x 500	240	Long items	625 30 004.97V
76 x 76 x 500	240	Long items	625 30 005.97V
256 x 82 x 300	340	DIN A4 diagonal	625 30 006.97V

Shovel and tool holder for rear doors

- Can be used for light parts such as aluminium ladders, brooms, shovels and other tools
- Rear wall with perfo perforation
- Load fixed in place using 10 perfo hooks and 2 rubber straps
- Includes 2 height-adjustable fixing brackets for securing the shovel holder to the vehicle door (only included with high-roof versions)

Dimensions W x D x H mm	Order Ref.
500 x 240 x 1500	635 02 048.97V

Paper roll holder, self-locking

- For paper rolls with a max. width of 260 mm, Ø 280 mm

Pack. qty. 1

Dimensions W x D x H mm	Order Ref.
315 x 185 x 180	630 03 058.19V

Water dispenser set

- With aluminium shelf, 10 L volumetric capacity, tap, fixing kit

Pack. qty. 1

Dimensions W x D x H mm	Order Ref.
370 x 185 x 375	630 03 059.19V

perfo extended hook

- With wide backplate
- Vertical hook end (35 mm)

Pack. qty. 5

Dimensions W x D x H x Ø mm	Order Ref.
60 x 75 x 60 x 6	140 01 121

Hose holder

- Die-cast aluminium
- For safe storage of cables and hoses

Dimensions W x D x H mm	Order Ref.
190 x 70 x 150	140 50 001
270 x 110 x 200	140 50 002
350 x 140 x 260	140 50 003
420 x 190 x 310	140 50 004

LED strip light 12 V



- On/off switch
- State-of-the-art LED technology
- Scattering angle 120°
- Light colour: Neutral white 6000 - 6500 Kelvin
- Aluminium housing
- 2-wire connection cable 1m
- Fixings included

Lumen	Dimensions W x D x H mm	Order Ref.
530	500 x 30 x 12	635 01 032.90V
900	900 x 30 x 12	635 01 033.90V

Worklight with magnetic foot 12/24 V LED

- Aluminium housing with carry handle
- Protection class IP67
- Spiral cable with 12V plug, length 8m
- 1755 Lumen

Power consumption	Order Ref.
27 watts	505 02 095

LED strip 12 V

- State-of-the-art LED technology
- neutral white 4000-4500 K, JP65
- With waterproof, transparent silicone casing
- With 2-wire connection cable 0.5 m
- Self-adhesive with 3 m tape

Power consumption Watt	Length mm	Order Ref.
9.1	950	635 01 059.90V
19.2	2000	635 01 060.90V

Further accessories can be found in the main catalogue.

bott vario | **Transport containers for flatbed vehicles**

For organising storage space and load restraints on flatbeds

- Systematic arrangement and securing of loads on the flatbed using subdivided storage compartments
- Quicker and more ergonomic access to the most important equipment via side doors, roller shutters, internal drawers without climbing onto the loading bed (depending on design)
- High stability thanks to robust frame construction
- Hard-wearing surfaces: Sides and floors in galvanised sheet steel, body with edge protection profiles.
- Tools and materials are protected from the elements by splash-proof seals
- Theft protection for transport goods thanks to robust locks
- Raised feet guarantee protection from standing moisture
- Optimum storage compartment organisation thanks to construction with vario system components
- Crash tested in accordance with ECE R44
- Custom configurations possible

bottTainer with hinged lid

- Slip-resistant aluminium chequer plate lid
- Gas spring secures lid in open position
- Two robust locks secure transported goods against theft

External dimensions W x D x H mm	Order Ref.
1030 x 650 x 600	600 20 009.51M
1750 x 650 x 760	600 20 001.51M
1930 x 650 x 760	600 20 002.51M

bottTainer storage tray



- Storage tray for hanging in the bottTainer
- Secures on sides of container
- Galvanised
- Optional divider kit with 13 small parts storage boxes

	W x D x H mm	Order Ref.
Storage tray	341 x 583 x 92	600 20 024.51
Divider kit with 13 small parts storage boxes	325 x 525	630 20 192.36

bottTainer complete variants

A

B

- Slip-resistant aluminium chequer plate lid
- Gas spring secures lid in open position
- Two robust locks secure transported goods against theft
- Equipped with a set of drawers and 2-part intermediate shelf
- Multiple configurations available behind hinged door

	External dimensions W x D x H mm	Left door drawer options	Right door drawer options	Order Ref.
A	1750 x 650 x 755	-	2x Heavy-duty	600 20 025.51M
B	1750 x 650 x 755	2x Standard-duty	2x Heavy-duty	600 20 026.51M
A	1930 x 650 x 755	-	2x Heavy-duty	600 20 027.51M
B	1930 x 650 x 755	2x Standard-duty	2x Heavy-duty	600 20 028.51M

bottTainer with doors and intermediate shelf

- With fixed intermediate shelf between the levels
- Upper doors can be opened when the drop-sides are up

External dimensions W x D x H mm	with	Order Ref.
1750 x 630 x 1130	4 doors	600 22 001.51M
1930 x 630 x 1130	4 doors	600 22 002.51M
1750 x 630 x 1130	2 doors	600 22 003.51M
1930 x 630 x 1130	2 doors	600 22 004.51M

- The lower compartment can be optionally equipped with drawers

Drawer set	Dimensions H x D mm	Order Ref.
Normal load 40 kg	1x 175 x 540 / 1x 300 x 540	600 22 011.19M
Heavy duty 50 kg	1x 175 x 795 / 1x 300 x 795	600 22 012.19M

Accessories

	Order Ref.
4 crane eyes, powder coated	900 99 590.63
Forklift base for bottTainer with hinged lid	600 20 018.51M
Forklift base for bottTainer with roller shutter	600 21 006.51M

bottTainer with roller shutters

B

C

A

D

- W 1365 x D 710 mm
- Weatherproof and lockable roller shutter made of robust aluminium
- Quick access to the complete usable volume
- bottTainer with 910 mm in height, suitable for vehicles with tarpaulin cover at cabin height

Illust.	Height mm	Configuration	Order Ref.
-	910	empty	600 21 010.51M
A	910	drop-front shelf, bottBox shelf with bottBoxes	600 21 011.51M
B	1060	3 drawers, 2 shelves, bottBox shelf with bottBoxes	600 21 008.51M
C	1060	6 drawers, drop-front shelf, bottBox shelf with bottBoxes	600 21 009.51M
D	1060	bottBox shelf with bottBoxes	600 21 007.51M

Load restraint blanket

- Anti-theft protection thanks to the opaque fabric
- Tested according to VDI 2700
- Load capacity up to 200 daN
- 4 blanket sizes for all common flatbed sizes
- Drop side lashing eyes included

Flatbed length L mm	Size	Order Ref.
2100 - 2650	S	626 27 015.19V
2650 - 3200	M	626 27 016.19V
3200 - 3750	L	626 27 017.19V
3750 - 4300	XL	626 27 018.19V

bott flatbed storage compartment

- Quick and easy securing of loads on the flatbed
- For transporting shovels, brooms and other tools
- Width is adjustable from 1700-2136mm, thus suitable for almost all flatbeds

External dimensions W x D x H mm	Order Ref.
1700 - 2136 x 622 x 382	600 20 029.98V
Fixing kit	900 99 667

If you have any questions about bott products or would like to place an order by telephone, the bott dialog-aktiv telesales team will be happy to assist:
+49 (0) 7971 / 251 – 251.

Or you can send your enquiry via email to: **info@bott.de**

www.bott-group.com

Bott GmbH & Co. KG, Bahnstraße 17, 74405 Gaildorf, Germany
dialogue-active: Phone: +49 (0)79 71 / 251-251, Fax: +49 (0)79 71 / 251-205

Vehicle drawings © creativ collection Verlag GmbH / www.ccvision.de
Printing-related differences in colours possible. Subject to technical changes.

810 98 063 05/2017